

# • international immunology

july 2009 volume 21 number 7

---

## Contents

### ORIGINAL RESEARCH PAPERS

- 757** Synthetic methylated CpG ODNs are potent *in vivo* adjuvants when delivered in liposomal nanoparticles  
*G. Chikh, S. D. de Jong, L. Sekirov, S. G. Raney, M. Kazem, K. D. Wilson, P. R. Cullis, J. P. Dutz and Y. K. Tam*
- 769** Constitutively active aryl hydrocarbon receptor expressed in T cells increases immunization-induced IFN- $\gamma$  production in mice but does not suppress T<sub>H</sub>2-cytokine production or antibody production  
*K. Nohara, T. Suzuki, K. Ao, H. Murai, Y. Miyamoto, K. Inouye, X. Pan, H. Motohashi, Y. Fujii-Kuriyama, M. Yamamoto and C. Tohyama*
- 779** Functionally relevant decreases in activatory receptor expression on NK cells are associated with pulmonary tuberculosis *in vivo* and persist after successful treatment  
*F. Bozzano, P. Costa, G. Passalacqua, F. Dodi, S. Ravera, G. Pagano, G. W. Canonica, L. Moretta and A. De Maria*
- 793** Natural killer cells kill human melanoma cells with characteristics of cancer stem cells  
*G. Pietra, C. Manzini, M. Vitale, M. Balsamo, E. Ognio, M. Boitano, P. Queirolo, L. Moretta and M. C. Mingari*
- 803** Roles of PU.1 in monocyte- and mast cell-specific gene regulation: PU.1 transactivates CIITA pIV in cooperation with IFN- $\gamma$   
*T. Ito, C. Nishiyama, N. Nakano, M. Nishiyama, Y. Usui, K. Takeda, S. Kanada, K. Fukuyama, H. Akiba, T. Tokura, M. Hara, R. Tsuboi, H. Ogawa and K. Okumura*
- 817** Nasal vaccination with troponin reduces troponin specific T-cell responses and improves heart function in myocardial ischemia–reperfusion injury  
*D. Frenkel, A. S. Pachori, L. Zhang, A. Dembinsky-Vaknin, D. Farfara, S. Petrovic-Stojkovic, V. J. Dzau and H. L. Weiner*
- 831** *Foxo3*<sup>−/−</sup> mice demonstrate reduced numbers of pre-B and recirculating B cells but normal splenic B cell sub-population distribution  
*R. M. Hinman, W. A. Nichols, T. M. Diaz, T. D. Gallardo, D. H. Castrillon and A. B. Satterthwaite*
- 843** The analysis of the functions of human B and T cells in humanized NOD/shi-scid/ $\gamma$ c<sup>null</sup> (NOG) mice (hu-HSC NOG mice)  
*Y. Watanabe, T. Takahashi, A. Okajima, M. Shiokawa, N. Ishii, I. Katano, R. Ito, M. Ito, M. Minegishi, N. Minegishi, S. Tsuchiya and K. Sugamura*



OXFORD JOURNALS  
OXFORD UNIVERSITY PRESS

---

Please visit the journal's World Wide Web site at <http://www.intimm.oxfordjournals.org>

- 859** Activation of invariant NKT cells confers protection against *Chlamydia trachomatis*-induced arthritis  
*M. S. Bharhani, B. Chiu, K.-S. Na and R. D. Inman*
- 871** PolyI:C-induced reduction in uptake of soluble antigen is independent of dendritic cell activation  
*I. Tirapu, B. Giquel, L. Alexopoulou, S. Uematsu, R. Flavell, S. Akira and S. S. Diebold*
- 881** **Featured article of the month.** Gfi1 negatively regulates T<sub>H</sub>17 differentiation by inhibiting ROR $\gamma$ t activity  
*K. Ichiyama, M. Hashimoto, T. Sekiya, R. Nakagawa, Y. Wakabayashi, Y. Sugiyama, K. Komai, I. Saba, T. Möröy and A. Yoshimura*